JOURNAL OF ORGANOMETALLIC CHEMISTRY VOLUME 444, NUMBERS 1–2, FEBRUARY 9, 1993

Contents

Regular Papers

New method of zinc activation by electrochemistry: synthetic applications to the Blaise reaction
N. Zylber, J. Zylber, Y. Rollin, E. Duñach and J. Perichon (Thiais, France) (Rec'd May 5, 1992) 1

B–C bond formation by ene-type reactions of dimethylaminobis(trifluoromethyl)borane with nitriles and carbonyl compounds. Crystal structure of $(NCCH_2)(CF_3)_2B \cdot NHMe_2$
A. Ansorge, D.J. Brauer, H. Bürger, T. Hagen and G. Pawelke (Wuppertal, Germany) (Rec'd July 6, 1992) 5

Trisubstituted alkenes from alkynes and aryl iodides by boron-to-zinc transmetallation and palladium(0) catalyzed cross coupling
K.A. Agrios and M. Srebnik (Toledo, OH, USA) (Rec'd November 21, 1991; in rev'd form June 29, 1992) 15

Darstellung und Eigenschaften der t-Butylgalliumbromide und -iodide. Struktur von Di(t-butyl)galliumiodid
G.G. Hoffmann, D. Hellert und M. Warren (Würzburg, Deutschland) (Eing. den 3. Juni 1992) 21

Ultrasound in organometallic chemistry. The effects of temperature, metal purity and power source on the ultrasound-promoted reaction between trimethylchlorosilane and lithium
P.D. Lickiss and R. Lucas (Salford, UK) (Rec'd June 15, 1992) 25

Synthese und Charakterisierung von 1,3,5-trisubstituierten Nonamethylcyclohexasilanen
M. Eibl, U. Katzenbeißer und E. Hengge (Graz, Österreich) (Eing. den 9. Juni 1992) 29

Regioselectivity in the trichlorosilylation of allylic halides. Synthesis of 1,1-dichloro-3-(methyldichlorosilyl)-1-silacyclopent-3-ene
R. Boukherroub, G. Manuel and W.P. Weber (Toulouse, France) (Rec'd May 26, 1992) 37

Synthèse de phosphinites dérivés de sucres: applications en cyclodimérisation du penta 2,4-diénoate de méthyle, en hydrogénation et en hydrosilylation de la pentolactone
A. Bendayan, H. Masotti, G. Peiffer, C. Siv et A. Archavlis (Marseille, France) (Reçu le 26 décembre 1991; révisé le 6 juillet 1992) . . . 41

A tetranuclear β-diketonato complex of organotin(IV): synthesis and crystal structure of (benzoyltrifluoroacetonato)-(trifluoroacetato)tetramethyldistannoxane dimer $[\{C_6H_5C(O)CHCO(CF_3)Sn(CH_3)_2\}O\{Sn(CH_3)_2O_2CCF_3\}]_2$
B.K. Agarwal, Y.P. Singh, R. Bohra, G. Srivastava and A.K. Rai (Jaipur, India) (Rec'd June 15, 1992) 47

Additionsreaktionen von $(CO)_5CrEPhH_2$ (E = P, As) an Di(ethinyl)-Phosphane und Stannane; Stufenweise Darstellung von Komplex-gebundenen 1,4-Dihetero-cyclohexa-2,5-dienen
H. Lang, U. Lay und W. Imhof (Heidelberg, Deutschland) (Eing. den 29. Mai 1992) 53

Synthesis and structure of mono-THF solvates of bis(cyclopentadienyl)samarium(II) complexes: $(C_5Me_5)_2Sm(THF)$ and $[C_5H_2(SiMe_3)_3][C_5H_3(SiMe_3)_2]Sm(THF)$
W.J. Evans, G. Kociok-Köhn, S.E. Foster, J.W. Ziller and R.J. Doedens (Irvine, CA, USA) (Rec'd April 13, 1992; in rev'd form July 8, 1992) 61

Umlagerung von Tetrahydrofuran im Lanthanoid-Organyl: Die Kristall- und Molekülstrukturen von Bis(cyclopentadienyl)ytterbium(III)-(μ-n-buten-2-olat) und Bis(methylcyclopentadienyl)ytterbium(III) (μ-$\eta^2:\eta^1$-tetrahydrofuran-2-olat)
G. Massarweh und R.D. Fischer (Hamburg, Deutschland) (Eing. den 2. Juli 1992) 67

Photochemistry of $Cp_2Ti(CO)_2$ and $Cp_2Ti(N_3)_2$ in solid matrices and in solution at low temperatures
M. Tacke, C. Klein, D.J. Stufkens and A. Oskam (Amsterdam, Netherlands) (Rec'd December 10, 1991; in rev'd form July 8, 1992) . . 75

Synthesis and reactivity of substituted cyclopentadienyl diphenylphosphido complexes of zirconium(IV). X-Ray crystal structure of $[(C_5H_4SiMe_3)_2Zr(PPh_2)_2]$
A.-M. Larsonneur, R. Choukroun (Toulouse, France), J.-C. Daran (Paris, France), T. Cuenca, J.C. Flores and P. Royo (Madrid, Spain) (Rec'd May 13, 1992) 83

Alkoxide, phenoxide and hydrido-phenoxide compounds of tantalum bearing the pentamethylcyclopentadienyl ligand
V.C. Gibson and T.P. Kee (Durham, UK) (Rec'd June 18, 1992) 91

Subvalent Group 14 metal compounds. XV. Germanium and tin amides $M(NR_2)_2$ as ligands in carbonylchromium(0) chemistry. The crystal structure of the compounds *cis*-$[Cr(CO)_4\{Sn(NR'_2)_2\}_2]$ [M = Ge or Sn, R' = $SiMe_3$ or $NR_2 = \overline{NCMe_2(CH_2)_3CMe_2}$]
S.L. Ellis, P.B. Hitchcock, S.A. Holmes, M.F. Lappert and M.J. Slade (Brighton, UK) (Rec'd May 29, 1992) 95

Antiferromagnetic complexes with metal–metal bonds. XXVII. Synthesis, molecular structures and magnetic properties of Cr,Re-clusters $Cp_2Cr_2(\mu\text{-}SCMe_3)_2(\mu_3\text{-}S)Re_2(CO)_9$ and $Cp_2Cr_2(\mu_3\text{-}SCMe_3)_2(\mu_3\text{-}S)_2Re_2(CO)_6$
A.A. Pasynskii, I.L. Eremenko, S.E. Nefedov, B. Orazsakhatov, A.A. Zharkikh, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky and Y.T. Struchkov (Moscow, Russian Federation) (Rec'd June 18, 1992) 101

Umsetzungen von Metallorganylen mit dem capto-dativ substituierten Ethylen $H_2C{=}C(CN)(S^tButyl)$
J. Herbig, J. Köhler, B. Nuber, H.G. Stammler und M.L. Ziegler (Heidelberg, Deutschland) (Eing. den 11. Juni 1992) 107

Synthesis and X-ray structure of (−)-$[Mo(\eta^5\text{-}C_5Me_4\text{-}3\text{-}pinanyl)(CO)_3Me]$
R. Lai, L. Bousquet and A. Heumann (Marseille, France) (Rec'd April 10, 1992) 115

Wolfram(0)-Komplexe des π-aciden *N*-Methylpyrazinium-Kations und des *N*-Methylpyrazinium-Radikals. Kristall- und Molekülstruktur von $[(C_4H_4N_2\text{-}Me)W(CO)_3(PCy_3)_2]$ (PF_6), Cy = Cyclohexyl
W. Bruns, H.-D. Hausen, W. Kaim und A. Schulz (Stuttgart, Deutschland) (Eing. den 5. Juni 1992) 121

Regioselectivity of nucleophilic additions to cyclopentadienyliron complexes of substituted benzenes: a novel theoretical approach based on Boltzmann probabilities
X. Luo, G.A. Arteca (Saskatoon, Sask., Canada), C. Zhang (Toronto, Ont., Canada) and P.G. Mezey (Saskatoon, Sask., Canada) (Rec'd April 13, 1992; in rev'd form June 15, 1992) 131

Stereoselectivity in the formation of tricarbonyliron complexes of some dihydrobiphenyls
B.M.R. Bandara, A.J. Birch and B. Chauncy (Canberra, A.C.T., Australia) (Rec'd May 11, 1992; in rev'd form July 13, 1992) 137
An investigation of the barriers to trimethylenemethane (TMM) rotation in compounds of the type η^4-TMMFe(CO)$_2$L (L = ^{t}BuNC, AsPh$_3$, tertiary phosphines); examples of coordinated tertiary phosphine rotational isomerism
L. Girard and M.C. Baird (Kingston, Ont., Canada) (Rec'd May 20, 1992) 143
Reactions of coordinated phosphines and arsines: stereoselective reactions at the chlorophosphine-*P* stereocentre in the complex [(R^*), (R^*, R^*)]-(±)-[(η^5-C$_5$H$_5$){1,2-C$_6$H$_4$(PMePh)$_2$}Fe(PClMePh)]PF$_6$ · CH$_2$Cl$_2$
G. Salem, G.B. Shaw, A.C. Willis and S.B. Wild (Canberra, A.C.T., Australia) (Rec'd June 30, 1992) 147
Übergangsmetallkomplexe von Diazenen. XXXI. Orthometallierte Diazenkomplexe von Molybdän, Eisen und Ruthenium: Struktur und Umsetzung zu 2,3-Diphenylindol
D. Garn, F. Knoch und H. Kisch (Erlangen, Deutschland) (Eing. den 10. Juni 1992) 155
Ein- bis dreikernige Metall-π-Derivate von Hericen mit (Me$_3$P)$_3$Fe- und CpCo-Fragmenten
F.H. Köhler und A. Steck (Garching, Deutschland) (Eing. den 11. Juni 1992) 165
The redox behaviour of ferrocene derivatives. II. 8-Ferrocenyl-2-hydroxytricyclo[7.3.1.0^{2,7}]tridecan-13-one and 2,2-dimethylpropylferrocene
A. Cinquantini, G. Opromolla, P. Zanello and G. Giorgi (Siena, Italy) (Rec'd May 22, 1992) 179
Synthesis and properties of the ruthenium vinylidene and acetylide complexes containing 1,1′-bis(diphenylphosphino)ferrocene
M. Sato and M. Sekino (Saitama, Japan) (Rec'd May 15, 1992) 185
Photochemical reactivity of [Ru^{II}(L)(CO)$_2$Cl$_2$] and [Me$_4$N] [Ru^{II}(L)(CO)Cl$_3$] (L = 2,2′-bipyridine or 4,4′-di(isopropoxycarbonyl)-2,2′-bipyridine) in CH$_3$CN and the redox properties of the resulting new complexes
M.-N. Collomb-Dunand-Sauthier, A. Deronzier (Grenoble, France) and R. Ziessel (Strasbourg, France) (Rec'd May 21, 1992) 191
Formation of (η^2-O$_2$)Co(CO) and (η^2-O$_2$)Co(CO)$_2$ by photolysis of Co$_2$(CO)$_8$ in dioxygen matrices at 20 K
M.J. Almond and R.H. Orrin (Reading, UK) (Rec'd May 21, 1992) 199
Synthesis and crystal structure of [Co$_2$(CO)$_4${PhC≡CC(O)CH$_3$}$_3$]. Its role in the cyclotrimerization of 1-phenylbut-1-yn-3-one to 1,3,5-triphenyltris(carboxymethyl)benzene
G. Gervasio, E. Sappa (Torino, Italy) and L. Markó (Veszprém, Hungary) (Rec'd May 8, 1992) 203
Synthesis of the square-bipyramidal cluster [Co$_4$(μ_4-SiMe)$_2$(CO)$_{11}$] by two routes and its reaction with GeMe$_2$H$_2$. The crystal structures of [Co$_4$(μ_4-SiMe)$_2$(CO)$_{11}$] and [Co$_4$(μ_4-SiMe)$_2${μ-GeMe$_2$}(CO)$_{10}$]
S.G. Anema, S. Kim Lee, K.M. Mackay and B.K. Nicholson (Hamilton, New Zealand) (Rec'd July 6, 1992) 211
Ligand exchange in cyclopentadienylcobalt diselenolenes. Isolation and characterization of the Se$_3$-chelate, C$_5$H$_5$Co[(SeC$_8$H$_{12}$)$_2$Se]
C.P. Morley and R.R. Vaughan (Belfast, UK) (Rec'd May 15, 1992) 219
Photochemistry of tris(dimethylpyrazolyl)-boratorhodium dicarbonyl and bis(dimethylpyrazolyl)-boratorhodium dicarbonyl complexes in low temperature media at 12–298 K: some insights into C–H activation processes
P.E. Bloyce, J. Mascetti and A.J. Rest (Southampton, UK) (Rec'd June 18, 1992) 223
Chloro-, Methyl- und Hydrido-Iridiumkomplexe mit Ph$_2$CN$_2$ und anderen Diazoalkan-Liganden
L. Brandt, J. Wolf und H. Werner (Würzburg, Deutschland) (Eing. den 9. Juni 1992) 235
Dialkyl complexes of nickel(II) containing chelating diphosphines. The crystal structure of [Ni(CH$_2$SiMe$_2$Ph)$_2$(^{i}Pr$_2$PCH$_2$CH$_2$P^{i}Pr$_2$)]
O. Boutry, M.C. Nicasio, M. Paneque, E. Carmona (Sevilla, Spain), E. Gutiérrez and C. Ruiz (Madrid, Spain) (Rec'd May 24, 1992) .. 245

Preliminary Communications

Stereoselective synthesis of allylic boronates via palladium-catalyzed cross-coupling reaction of Knochel's (dialkoxyboryl)methylzinc reagents with 1-halo-1-alkenes
T. Watanabe, N. Miyaura and A. Suzuki (Sapporo, Japan) (Rec'd September 11, 1992; in rev'd form October 17, 1992) C1
Die Kristallstruktur von [(CH$_3$)$_2$InCN]$_\infty$
J. Blank, H.-D. Hausen und J. Weidlein (Stuttgart, Deutschland) (Eing. den 5. Oktober 1992) C4
Dérivés silylés issus d'aldimines α,β-insaturées: préparations et applications en synthèse
M. Bellassoued et A. Majidi (Paris, France) (Reçu le 1 août 1992; révisé le 8 septembre 1992) C7
Comb-like polycarbosilanes-routes to a new group of liquid crystal polymers
E. Białecka-Florjańczyk (Warsaw, Poland), T. Ganicz, M. Pluta and W. Stańczyk (Łódź, Poland) (Rec'd September 1, 1992) C9
Übergangsmetall-Silyl-Komplexe. XLV. Erzeugung von Fluorsilyl-Liganden durch selektive Spaltung metallgebundener Si–Ph-Gruppen
S. Gilbert und U. Schubert (Würzburg, Deutschland) (Eing. den 16. September 1992) C12
Neue Cyclooctatetraenyl-lanthanid(III)-Komplexe
U. Kilimann und F.T. Edelmann (Göttingen, Deutschland) (Eing. den 1. Oktober 1992) C15
Un nouvel hydrure organostannique greffé sur support insoluble
G. Ruel, N.K. The, G. Dumartin, B. Delmond et M. Pereyre (Talence, France) 1992) C18
Cyclische Metallamide. III. Flüchtige Tetrahydroborat-Komplexe von Titan und Zirkonium
W.A. Herrmann, M. Denk, W. Scherer und F.-R. Klingan (Garching, Deutschland) (Eing. den 21. September 1992) C21
Rigidity of the unsymmetric coordination geometry of the two dithiolates in (C$_5$Me$_5$)Ta(norbornane-exo-2,3-dithiolate)$_2$
K. Tatsumi, Y. Inoue and A. Nakamura (Osaka, Japan) (Rec'd August 24, 1992; in rev'd form October 3, 1992) C25
Trapping of a carbanionic intermediate in the reaction of alkynylalkoxy carbene metal (Cr) complexes and ethyl diethoxyacrylate
L. Jordi, J.M. Moretó, S. Ricart, J.M. Viñas, E. Molins and C. Miravitlles (Barcelona, Spain) (Rec'd July 6, 1992) C28
Molekülstruktur von Tetracarbonyl- bis(η^5-cyclopentadienyl)-μ-$\eta^{1:2}$- vinyliden-dimolybdän
U. Kern, C.G. Kreiter, S. Müller-Becker und W. Frank (Kaiserslautern, Deutschland) (Eing. den 14. September 1992) C31

Dealkylation of thiols by a phosphido-bridged dimolybdenum complex. Crystal structure of $[Mo_2(\mu\text{-}S)_2(\mu\text{-}S^iPr)(\mu\text{-}PPh_2)(\eta\text{-}C_5H_5)_2]$
H. Adams, N.A. Bailey, A.P. Bisson and M.J. Morris (Sheffield, UK) (Rec'd October 5, 1992) C34
Unexpected ring-expansion of "axially prostereogenic" biaryl lactones by methylenephosphoranyl-substituted imido complexes of molybdenum and tungsten
J. Sundermeyer, K. Weber, H. Werner, N. Mahr, G. Bringmann and O. Schupp (Würzburg, Germany) (Rec'd July 2, 1992) C37
Synthesis of $Me_2Si\text{-}\eta^5\text{-}C_5H_4(CO)Fe(CO)_2Fe(CO)\text{-}\eta^5\text{-}C_5H_4SiMe_2$ and a novel reaction between its Si–Si and Fe–Fe bonds
H. Sun, S. Xu, X. Zhou, H. Wang, R. Wang and X. Yao (Tianjin, China) (Rec'd May 29, 1992; in rev'd form October 3, 1992) C41
Formal insertion of carbon into a C=C double bond on an Ru_5 cluster. X-Ray structure of $Ru_5(\mu_4\text{-}CC_{11}H_{12})\text{-}(\mu_3\text{-}SMe)_2(\mu\text{-}PPh_2)_2(CO)_9$
C.J. Adams, M.I. Bruce (Adelaide, S.A., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) (Rec'd September 14, 1992) C44
Cyclohexenyl [2.2]paracyclophane complexes of ruthenium(II): highly fluxional agostics from the sequential reduction of arenes
J.W. Steed and D.A. Tocher (London, UK) (Rec'd September 3, 1992) C47
The controlled assembly of high nuclearity osmium clusters from smaller fragments
J. Lewis and J.R. Moss (Cambridge, UK) (Rec'd July 1, 1992) C51
Isolation and structural characterisation of $Os_5(CO)_{18}$, a postulated intermediate in the conversion of $Os_5(CO)_{19}$ into $Os_5(CO)_{16}$
D. Coughlin, J. Lewis, J.R. Moss (Cambridge, UK), A.J. Edwards and M. McPartlin (London, UK) (Rec'd September 16, 1992) C53
Synthesis and X-ray structure of the octaosmium carbido cluster $Os_8C(CO)_{22}$
A.J. Amoroso, B.F.G. Johnson, J. Lewis, C.-K. Li, P.R. Raithby and W.-T. Wong (Cambridge, UK) (Rec'd September 14, 1992) C55
Synthesis of novel selenium-containing osmium carbonyl clusters: X-ray structures of $[Os_5(\mu\text{-}H)(CO)_{15}(\mu_3\text{-}SePh)]$ and $[Os_6(\mu\text{-}H)(CO)_{18}(\mu\text{-}SeH)]$
T.M. Layer, J. Lewis, A. Martín, P.R. Raithby (Cambridge, UK) and W.-T. Wong (Hong Kong, Hong Kong) (Rec'd September 1, 1992) C57
First example of the cycloaddition of a terminal phosphinidene across the Rh=Rh bond of $[Rh_2(\eta^5\text{-}C_5Me_5)_2\{\mu\text{-}(CO)_2\}]$. Crystal structure of $[Rh_2(\eta^5\text{-}C_5Me_5)_2(CO)_2\{MePW(CO)_5\}]$
F.A. Ajulu, P.B. Hitchcock (Brighton, UK), F. Mathey (Palaiseau, France) and J.F. Nixon (Brighton, UK) (Rec'd October 1, 1992) ... C60
Nickelocene-catalyzed polymerization of acetylenes
W.E. Douglas and A.S. Overend (Kingston-upon-Thames, UK) (Rec'd October 8, 1992) C62
New aspects of the synthesis of dimethyl carbonate via carbonylation of methyl alcohol promoted by methoxycarbonyl complexes of palladium(II)
G. Cavinato (Padua, Italy) and L. Toniolo (Venice, Italy) (Rec'd June 29, 1992) C65

Author Index C67

Subject Index C69